

ATTACHMENT B
Amendments to the Claims

10/562394

This listing of claims will replace all prior versions, and listings, of claims in the application.

1. (Original) A coffee composition, comprising roast and ground coffee having levels of 3,7-dimethylocta-1,6-dien-3-ol of at least $6000 \mu\text{gkg}^{-1}$ of dried roast and ground coffee as measured in the roast and ground product using the measurement method of Likens.
2. (Original) The coffee composition of claim 1, wherein the levels of 3,7-dimethylocta-1,6-dien-3-ol in dry roast and ground coffee is at least $8000 \mu\text{gkg}^{-1}$ as measured using the Likens method.
3. (Original) The coffee composition of claim 1, wherein the levels of 3,7-dimethylocta-1,6-dien-3-ol in dry roast and ground coffee is at least $16,000 \mu\text{gkg}^{-1}$ as measured using the Likens method.
4. (Original) A method for manufacturing a coffee flavored beverage having enhanced in cup coffee brew flavor, said method comprising adding 3,7-dimethylocta-1,6-dien-3-ol to a roast and either whole bean or ground coffee to produce a final coffee product having at least 25% higher level of 3,7-dimethylocta-1,6-dien-3-ol than the naturally occurring level of 3,7-dimethylocta-1,6-dien-3-ol in the whole bean or ground coffee as measured using the Likens method.

5. (Original) The method of claim 4, wherein the final coffee product has levels of 3,7-dimethylocta-1,6-dien-3-ol in the final coffee product which is at least 50% higher than the naturally occurring level of 3,7-dimethylocta-1,6-dien-3-ol in the whole bean or ground coffee as measured using the Likens method.
6. (Original) The method of claim 4, wherein the final coffee product has levels of 3,7-dimethylocta-1,6-dien-3-ol in the final coffee product which is at least 100% higher than the naturally occurring level of 3,7-dimethylocta-1,6-dien-3-ol in the whole bean or ground coffee as measured using the Likens method.
7. (Original) The method of claim 4, wherein the 3,7-dimethylocta-1,6-dien-3-ol is added to whole bean coffee.
8. (Original) The method of claim 7, wherein said adding 3,7-dimethylocta-1,6-dien-3-ol comprises coating the whole bean with 3,7-dimethylocta-1,6-dien-3-ol dissolved in an oil carrier.
9. (Original) The method of claim 4, wherein the 3,7-dimethylocta-1,6-dien-3-ol is added to ground coffee.

10. (Original) The method of claim 9, wherein said adding 3,7-dimethylocta-1,6-dien-3-ol comprises adding 3,7-dimethylocta-1,6-dien-3-ol dissolved in an oil carrier to the ground coffee
11. (Original) A soluble coffee composition comprising a soluble coffee product having levels of 3,7-dimethylocta-1,6-dien-3-ol of at least 2000 μgkg^{-1} of soluble coffee solids as measured in the soluble coffee product using the Likens method.
12. (Original) The soluble coffee composition of claim 11, wherein the amount of 3,7-dimethylocta-1,6-dien-3-ol is at least 4000 μgkg^{-1} of soluble coffee solids as measured in the soluble coffee product using the Likens method.
13. (Original) The soluble coffee of claim 11, wherein the amount of 3,7-dimethylocta-1,6-dien-3-ol is at least 6,000 μgkg^{-1} of soluble coffee solids as measured in soluble coffee product using the Likens method.
14. (Original) The soluble coffee of claim 11, wherein the amount of 3,7-dimethylocta-1,6-dien-3-ol is at least 10,000 μgkg^{-1} of soluble coffee solids as measured in soluble coffee product using the Likens method.
15. (Original) A beverage mix comprising dry soluble coffee product and 3,7-dimethylocta-1,6-dien-3-ol of at least 2000 μgkg^{-1} of soluble coffee solids in the beverage mix as measured using the Likens method.

16. (Original) The beverage mix of claim 15 wherein the 3,7-dimethylocta-1,6-dien-3-ol is present in an amount of at least 4000 μkg^{-1} of soluble coffee solids in the beverage mix as measured using the Likens method.
17. (Original) The beverage mix of claim 15, wherein the 3,7-dimethylocta-1,6-dien-3-ol is present in an amount of at least 10,000 μkg^{-1} of soluble coffee solids in the beverage mix measured using the Likens method.
18. (Original) The beverage mix of claim 15, wherein the 3,7-dimethylocta-1,6-dien-3-ol is present in an encapsulated form.
19. (Original) The beverage mix of claim 18, wherein the encapsulated form comprises maltodextrin, gum arabic, tricalcium phosphate and the 3,7-dimethylocta-1,6-dien-3-ol.
20. (Original) A method for manufacturing a coffee flavored beverage having enhanced in cup coffee brew flavor, said method comprising:
adding 3,7-dimethylocta-1,6-dien-3-ol to a liquid coffee extract having a naturally occurring level of 3,7-dimethylocta-1,6-dien-3-ol of less than 2000 μkg^{-1} of coffee solids in the coffee extract as measured using method of Likens, so as to produce a final soluble coffee product having at least 2000 μkg^{-1} of coffee solids in the final coffee product.

21. (Original) The method of claim 20, wherein said adding 3,7-dimethylocta-1,6-dien-3-ol comprises adding liquid 3,7-dimethylocta-1,6-dien-3-ol to the liquid coffee extract followed by drying to form a dry final soluble coffee product.
22. (Original) The method of claim 20, wherein the final soluble coffee product has levels of 3,7-dimethylocta-1,6-dien-3-ol of at least 3000 μgkg^{-1} of soluble coffee solids present in the soluble coffee product.
23. (Original) The method of claim 20, wherein the final soluble coffee product has levels of 3,7-dimethylocta-1,6-dien-3-ol of at least 4000 μgkg^{-1} of soluble coffee solids present in the soluble coffee product.
24. (Original) The method of claim 20, wherein the final soluble coffee product has levels of 3,7-dimethylocta-1,6-dien-3-ol of at least 10,000 μgkg^{-1} of soluble coffee solids present in the soluble coffee product.
25. (Original) The method of claim 20, wherein said adding 3,7-dimethylocta-1,6-dien-3-ol comprises adding powdered 3,7-dimethylocta-1,6-dien-3-ol to the liquid coffee extract followed by drying to form a dry final soluble coffee product.

26. (Original) A method for manufacturing an enhanced coffee flavored beverage having enhanced in cup coffee brew flavor, said method comprising:
adding 3,7-dimethylocta-1,6-dien-3-ol to a roast and either whole bean or ground coffee.
27. (Original) The method of claim 26, wherein the 3,7-dimethylocta-1,6-dien-3-ol is in an encapsulated form.
28. (Original) The method of claim 26, wherein said adding 3,7-dimethylocta-1,6-dien-3-ol comprises adding 3,7-dimethylocta-1,6-dien-3-ol to increase the concentration of 3,7-dimethylocta-1,6-dien-3-ol to at least 6000 μgkg^{-1} whole bean or ground coffee as measured in the whole or ground coffee using the measurement method of Likens.
29. (Original) The method of claim 26, wherein said adding 3,7-dimethylocta-1,6-dien-3-ol comprises adding 3,7-dimethylocta-1,6-dien-3-ol to increase the concentration of 3,7-dimethylocta-1,6-dien-3-ol to at least 8000 μgkg^{-1} whole or ground coffee as measured in the whole or ground coffee using the measurement method of Likens.
30. (Original) The method of claim 26, wherein said adding 3,7-dimethylocta-1,6-dien-3-ol comprises adding 3,7-dimethylocta-1,6-dien-3-ol to increase the concentration of 3,7-dimethylocta-1,6-dien-3-ol to at least 10,000 μgkg^{-1} of

whole or ground coffee as measured in the whole or ground coffee using the measurement method of Likens.

31. ~~30.~~ (Currently Amended) The method of claim 26, wherein said adding 3,7-dimethylocta-1,6-dien-3-ol comprises adding 3,7-dimethylocta-1,6-dien-3-ol to increase the concentration of 3,7-dimethylocta-1,6-dien-3-ol to at least 16,000 μgkg^{-1} of whole or ground coffee as measured in the whole or ground coffee using the measurement method of Likens.

32. ~~31.~~ (Currently Amended) The method of claim 26, wherein said adding 3,7-dimethylocta-1,6-dien-3-ol comprises adding 3,7-dimethylocta-1,6-dien-3-ol to a whole bean coffee.

33. ~~32.~~ (Currently Amended) The method of claim 26, wherein said adding 3,7-dimethylocta-1,6-dien-3-ol comprises adding 3,7-dimethylocta-1,6-dien-3-ol to a ground coffee.

34. ~~33.~~ (Currently Amended) A coffee composition comprising:
roast and ground coffee; and
encapsulated 3,7-dimethylocta-1,6-dien-3-ol.

35. ~~34.~~ (Currently Amended) The coffee composition of ~~claim 33~~ claim 34, wherein the encapsulated 3,7-dimethylocta-1,6-dien-3-ol comprises maltodextrin, gum arabic, tricalcium phosphate and 3,7-dimethylocta-1,6-dien-3-ol.

36. ~~35.~~ (Currently Amended) A method for preparing coffee with elevated levels of 3,7-dimethylocta-1,6-dien-3-ol, said method comprising:

infusing green coffee with liquid or vapor form of 3,7-dimethylocta-1,6-dien-3-ol diluted in a carrier consisting of polar and/or non polar solvents.

37. ~~36.~~ (Currently Amended) The method of ~~claim 35~~ claim 36, further comprising heating the green coffee and 3,7-dimethylocta-1,6-dien-3-ol between 20°C and 95°C for 15 minutes to 24 hours.

38. ~~37.~~ (Currently Amended) A ready to drink beverage comprising concentrated or regular strength liquid coffee comprising 3,7-dimethylocta-1,6-dien-3-ol present in an amount of at least 2000 μgkg^{-1} of soluble coffee solids present in the liquid coffee as measured using the Likens method.

39. ~~38.~~ (Currently Amended) The method of ~~claim 37~~ claim 38, wherein the 3,7-dimethylocta-1,6-dien-3-ol present in an amount of at least 4000 μgkg^{-1} of soluble coffee solids present in the liquid coffee as measured using the Likens method.

40. ~~39.~~ (Currently Amended) The method of ~~claim 37~~ claim 38, wherein the 3,7-dimethylocta-1,6-dien-3-ol present in an amount of at least 10,000 μgkg^{-1} of soluble coffee solids present in the liquid coffee as measured using the Likens method.

41. ~~40.~~ (Currently Amended) A coffee composition comprising:
roast whole bean coffee with a 3,7-dimethylocta-1,6-dien-3-ol coating.